

ASSEMBLY MATERIALS: HOSE/BRAID: BRONZE 90° ELBOWS: COPPER 45° ELBOWS: COPPER 1. FIELD CONNECTIONS USING BRAZING OR SOLDERING PROCESS SHOULD NOT USE A FLUX THAT IS CHLORINATED. FLUX THAT IS RESIDUAL ON THE INTERIOR AND EXTERIOR OF A HOSE THAT IS CHLORINATED WILL CORRODE AND CAUSE PREMATURE FAILURE OF THE STAINLESS STEEL AND VOID ANY WARRANTY.

2. THE FIELD INSTALLATION OF THE CONNECTORS WILL REQUIRE THE USE OF A HEAT SINK MATERIAL TO ABSORB TRANSIENT HEAT THAT COULD DECOUPLE THE FITTINGS FROM THE HOSE. FAILURE TO PROVIDE ADEQUATE HEAT CONTROL DURING INSTALLATION WILL CAUSE IRREPERABLE DAMAGE AND VOID THE WARRANTY.

QTY	SIZE	MODEL	MOVEMENT	OAL	HEIGHT	PSI	COMMENTS
	.50"	440-050-2	+/- 2"	18.875"	8.875"	566	
	.75"	440-075-2	+/- 2"	21.625"	9.75"	468	
	1.00"	440-100-2	+/- 2"	23.25"	10.625"	334	
	1.25"	440-125-2	+/- 2"	26.25"	12"	306	
	1.50"	440-150-2	+/- 2"	28.625"	13"	297	
	2.00"	440-200-2	+/- 2"	32.5"	14.625"	210	

NOTES: CONTACT FACTORY FOR MOVEMENTS AND SIZES NOT SHOWN. GO TO WWW.UNISOURCE-MFG.COM FOR INSTALLATION INSTRUCTIONS. PRESSURES LISTED ARE AT 70°F. MAX WORKING TEMPERATURE 400°F.

CUSTOMER:	
PROJECT:	
ENGINEER:	

0	RELEASED		06/15	BC				
REV	DESCRIPTION		DATE	APPROVED				
REVISION HISTORY								
UNISOURCE								
8040 N.E. 33rd Dr								
Portland, OR 97211								
Ph: 503.281.4673, Fax 503.281.5845								
UNISOURCE V LOOP COPPER								
COUPLING ENDS - +/- 2" MOVEMENT								
DRAWN B	BC	DATE: 06/15/15						

NONE

440-2.idw